

AD-A066 705

CATHOLIC UNIV OF AMERICA WASHINGTON D C HUMAN PERFOR--ETC F/G 6/16
TWO APPROACHES TO CATEGORY REPRESENTATION IN AURAL CLASSIFICATI--ETC(U)
DEC 78 J A BALLAS, J H HOWARD N00014-75-C-0308

UNCLASSIFIED

TR-78-9-ONR

NL

1 OF 1
AD
A066705

DATE
FILMED

END
DATE
FILMED
5-79
DDC

AD A0 66705

DDC FILE COPY

LEVEL

12

TWO APPROACHES TO CATEGORY REPRESENTATION IN AURAL CLASSIFICATION

James A. Ballas, and James H. Howard, Jr.

ONR CONTRACT NUMBER N00014-75-C-0308


Technical Report ONR-78-9

Human Performance Laboratory

Department of Psychology

The Catholic University of America

December, 1978



Approved for public release; distribution unlimited. Reproduction in whole or in part is permitted for any purpose of the United States Government.

79 03 30 189

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ONR-78-9	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER (9)
4. TITLE (and Subtitle) (6) TWO APPROACHES TO CATEGORY REPRESENTATION IN AURAL CLASSIFICATION		5. TYPE OF REPORT & PERIOD COVERED Technical Report
7. AUTHOR(s) (10) James A. Ballas and James H. Howard, Jr		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS The Catholic University of America Washington, D. C. 20064		8. CONTRACT OR GRANT NUMBER(s) (15) N00014-75-C-0308
11. CONTROLLING OFFICE NAME AND ADDRESS Engineering Psychology Programs, Code 455 Office of Naval Research		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NR 197-027
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) (12) 24 p.		12. REPORT DATE (11) December, 1978
		13. NUMBER OF PAGES 17
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) (14) TR-78-9-ONR		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) auditory perception auditory pattern recognition auditory classification		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The classification model proposed by Howard, Ballas and Burgy (1978) assumes that each category in a classification task is represented by an abstract prototype. Neumann (1977) argues that the evidence for prototype representations can be explained by the indeterminacy of exemplar attributes. A test of these two models would require that attribute indeterminacy be measured. In a classification task, attribute indeterminacy can lead to overlapping category boundaries. In turn, this results in confusions, which can then be a measure of indeterminacy. An		

DD FORM 1473

EDITION OF 1 NOV 68 IS OBSOLETE
S/N 0102-014-6601

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

79 03 30 189

409 387

CONT

Unclassified

Block 20 continued

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

aural classification experiment was conducted where listeners classified sixteen amplitude-modulated noise patterns into one of four, four-exemplar categories. Results of a post training recognition test indicated that an unexperienced prototype was rated as familiar, but this effect was reduced with increased practice with the category exemplars. Neither the prototype nor Neumann's model was supported unequivocally. Classification results did demonstrate that the classification model is applicable to four exemplar categories defined in two dimensions.

ACCESSION for	
NTIS	White Section <input checked="" type="checkbox"/>
DDC	Buff Section <input type="checkbox"/>
UNANNOUNCED	
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	Avail. and/or SPECIAL
A	

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

One of the central issues in research on classification is whether categories are represented in memory by a list of category attributes or by a prototypical member. The former representation has been traditionally used in concept formation studies (Bourne & Restle, 1959). However, Posner (1969) has argued that the prototype representation may be more appropriate. In this case, the category is represented by an average of the attributes. New items are compared to the prototype of the category rather than being compared against a list of the attributes for each member in the category. Classification then involves computing a similarity measure between the test item and the prototype rather than counting the number of matching attributes between the test item and each known member.

The classification model developed by Howard, Ballas and Burgy (1978) uses prototypes to represent categories and computes similarity on the basis of the psychological distance between the prototype and the test item. The distance is expressed as a probability that the item belongs to the category and is based on fitting a Gaussian probability distribution to confusion matrix data. Each of these distributions are centered on the prototype for the category in a perceptual space. This assumption has two alternative implications. The first is a psychological implication and means that the prototype is the memorial representation of the category. The second is a statistical implication and means that the prototype is a convenient description of the location of a probability distribution for a category in a psychological space. This implication need not

mean that the prototype resides in memory. It is based on the assumption that the assignment of stimuli to categories is probabilistic. If this is so, then the category can be represented by a probability distribution in some psychological space. The centroid of this distribution is a statistical prototype, but need not be a cognitive prototype.

Research supporting the prototype representation has found that listeners do as well classifying prototypes on which they have not been trained as they do classifying examples on which they were trained. Neumann (1977) has argued that these results can be explained by the indeterminacy of exemplar representations. He says that an attribute is not represented on a dimension as a single point, but as an interval. The intervals representing attributes of several exemplars of a category could overlap and increase the frequency or strength of an attribute value that was not actually experienced.


Categories are represented in his model by a multidimensional mode of the attributes of the exemplars. Thus the attributes that occur most often in the exemplars will represent the category. By extending the representation of an attribute from a point value to encompass an interval, he allows unexperienced values to be representative of the category. In fact, if a midvalue between two exemplars is not experienced but lies within the interval of each exemplar, it will build up greater representation frequency than either experienced value, and account for the data which support the prototype

representation. Whereas the prototype is based on a multidimensional mean of the exemplars, category representation in Neumann's model is based on a count of the attributes.

An experiment was conducted to test Neumann's model against the prototype model. In order to make a clear test between the two, the experiment was designed so that the amount of overlap between attributes could be inferred. The stimuli were amplitude modulated noise sounds similar to those used by Howard et al (1978). However, the values of the stimuli were chosen so that subjectively, intracategory differences were identical to intercategory differences. In this case, the confusions in a classification task provide a measure of intercategory overlap. Since the intracategory differences would be the same, the confusions also provide a measure of attribute overlap within a category. In order to eliminate Neumann's indeterminacy as an explanation, the differences between stimuli were increased as much as possible. This should result in very good classification and little overlap between attributes. If the prototype is still recognized under these conditions, it would not be due to attribute indeterminacy. Two-dimensional categories were used with four exemplars per category. A physical representation of the stimuli and the categories is shown in Figure 1.

Insert Figure 1 Here

Note that if no confusions between any of the categories are made, then there should be no overlapping representations of



Percent Attack

Figure 1. Representation of the training sounds (triangles), new test sounds (circles), category prototypes (squares) in the two-dimensional physical space.

attributes within a category. According to Neumann, there should be no unexperienced attributes that represent a category if there is no overlap. In contrast, according to the prototype assumption, the category should be best represented by the centroid of the four exemplars in each category.

This study also was designed to test the classification model developed by Howard et al (1978) with categories composed of four exemplars. Previous research always used two exemplar categories. The prototype assumption is particularly critical with the four exemplar categories used in this experiment since the centroid does not share any attribute with the exemplars on the two relevant dimensions.

Method

Participants. Six undergraduate students were solicited by advertisements to be paid listeners in this experiment. This group included four females and two males, and none reported any hearing deficiencies.

Apparatus. All experimental events were controlled by a laboratory digital computer. Modulation waveforms were synthesized by the computer and output on a 12-bit digital-to-analog converter at a 5 kHz sampling rate. This signal was applied to the input of a laboratory-constructed transconductance operational amplifier circuit (RCA CA3084). The output gain of the operational amplifier was directly proportional to the amplitude of the modulation signal. These amplitude-modulated signals were delivered to listeners over

matched Telephonics TDH-49 headphones with MX-41/AR cushions.

Stimuli. A set of 36 amplitude modulated noise signals was generated by combining six levels of amplitude modulation (4, 4.4, 4.8, 5.6, 6.0, and 6.4 Hz) and six levels of attack (14%, 21.5%, 29%, 57%, 71%, and 86% of the period). The former dimension defines the Tempo of the sound and the latter dimension defines the Quality of the sound. The values on the Tempo dimension were identical to those used in previous studies. The values on the attack dimension define a greater range than what has been used previously. This was done since previous research indicated that Quality had been underestimated. Expanding the range would make the Quality differences more discriminable. A subset of these stimuli were used as the training set. These 16 stimuli were partitioned into four categories as shown in Figure 1. Each category was given a CVC name for training. A second subset consisted of 16 stimuli which shared one but not both of the attributes of nearby exemplars, and 4 stimuli representing the prototypes of the categories and sharing none of the specific attributes of the exemplars. This subset together with the training set was used during the test phase.

The noise carrier was 20 Hz - 20 kHz white noise. The modulated signals have sawtooth waveform with the percentage of attacks above. All signals were presented at about 65 dB SPL.

Procedure. The listeners were tested individually in a sound attenuated booth. The experiment consisted of two parts, a training and a testing phase. For the training phase, the

subjects were told that their task was to learn to classify 16 sounds into four categories, four sounds per category. No specific instructions were given about how Tempo and Quality were to be used. Each trial began with a visual warning followed by either a 2.5 or 3.0 sec presentation of one of the sounds. The presentation length was randomly changed between these two values so that the listeners could not simply count the number of modulation pulses to determine the Tempo. After the sound ended, the listener pressed one of four keys (labeled with CVC category names of equal association value) to indicate the category for the sound. Feedback was provided after each trial.

For the testing phase, listeners were told their task was to listen carefully to a set of sounds and indicate whether they had heard the sounds in the first phase. After hearing each sound, they pressed one of five buttons to indicate one of the following answers:

- 1 = I am sure I did not hear it.
- 2 = I do not think I heard it.
- 3 = I do not know whether I heard it.
- 4 = I think I heard it.
- 5 = I am sure I heard it.

The listeners were told that about half of the sounds used in the testing phase were not used during the training phase.

Each block consisted of one training and one testing phase. In the training phase, each listener received 16 repetitions on each sound for a total of 192 trials. In the testing phase, each

listener received 2 repetitions on each of the 36 sounds for a total of 72 trials. All trials were presented in random order. A block took approximately 45 minutes to complete. Each subject completed four blocks, each block on a separate day.

Results and Discussion

Overall Performance. The performance of the six listeners ranged from 47% to 67% on the first block and from 63% to 93% on the fourth block as shown in Figure 2.

Insert Figure 2 Here

Performance increments were not as steep as in previous work with similar stimuli due to the high level of initial performance. Four of the six subjects achieved better than 85% performance, or fewer than 30 errors in 192 trials. If all these errors were confusions at category boundaries, this would be about 3 out of 15 possible confusions at each boundary point. In a general sense, this error rate defines the amount of overlap between adjacent stimulus values. It is this overlap that Neumann claims produces the prototype effect. In terms of normal distributions overlapping at a boundary, these confusions represent about 16% of each distribution on the incorrect side of the boundary. It is reasonable to assume that this also describes the spread of the attribute within the category. If the ordinate is taken as the measure of attribute frequency, then the frequency of unexperienced attributes would be greater than the frequency of experienced attributes. Thus the stimuli were not sufficiently




Figure 2. Performance of the six listeners by block.

distinct to exclude the possibility of attribute overlap.

Test Phase Results. The responses in the test phase were used as a five point interval scale and were summed and averaged within each block by the type of stimuli--old, new or prototype. These averages were analyzed with ANOVA using a stimuli (3) by blocks (4) repeated measures design. No significant effects were found (see Table 1).

Insert Table 1 Here

However, the blocks effect was nearly significant ($F(3,15) = 3.29$, $p = .07$) and the blocks by stimulus effect was large. The nature of these effects is shown in Figure 3.

Insert Figure 3 Here

The general decrease in recognition scores from block one to four was accentuated for the prototype scores. Because of the large variance in the scores, these effects failed to reach significance. Therefore, a Freedman nonparametric rank test (Siegel, 1956) was used to test whether the ranking of the three stimuli was different on blocks one and four. There was a significant difference for block one ($X(2) = 6.33$, $p = .05$) but not for block four ($X(2) = .33$). In block one, five of the listeners had the highest recognition score and the sixth had the second highest score for the prototype stimuli. These ranks indicate that the prototype was better recognized on the first

Table 1
Analysis of Variance on Average Recognition Scores

Source	<u>df</u>	<u>MS</u>	<u>F</u>
Between subjects (S)	5	15087.6	
Within subjects			
Stimuli (St)	2	931.1	.59
Blocks (B)	3	8438.9	2.87
St x B	6	1921.2	1.83
St x S	10	1578.3	
B x S	15	2939.6	
St x B x S	30	1051.6	




Figure 3. Average recognition scores by type of sound and block.

block, but with experience, was no better recognized than the others by the fourth block. This means that learning affects the reliance on prototype knowledge. These results are similar to those by Robbins, Barresi, Compton, Furst, Russo and Smith (1978) who found that exemplar specific knowledge is used when testing occurs without delay, but that abstract category knowledge is used when testing is delayed after training.

In terms of deciding between the prototype and Neumann's attribute frequency model, the stimuli were not sufficiently distinct for a clear test. Even on the fourth block there was enough overlap of attributes to provide a basis for prototype recognition according to Neumann's indeterminacy explanation. Altogether, these results provide evidence neither for nor against Neumann's model. They would appear to weaken the prototype assumption since the recognition scores decrease with practice. However, using a recognition question in the testing phase does not assess the possibility that the prototype may be the best representation of the category. The prototype might be perceived as not having been presented during training even though it best represents the category. A classification task may be more appropriate during the testing phase especially if this task requires the listeners to rate the representativeness of the stimuli for a particular category.

Theoretical analysis. In order to test the classification model with four exemplar categories, theoretical confusion matrices were generated to fit the obtained matrices using a

gradient algorithm (subroutine ZXMIN in the IMSL mathematical subroutine library). The theoretical matrices are based on a standard deviation parameter for each dimension and it is these two parameters that are estimated by the algorithm. To assess the fit, correlations between the theoretical and obtained matrices were calculated. Across all listeners and blocks, the correlation was $+0.96$, indicating that 92% of the variance was explained by the classification model. The correlations for the six listeners ranged from $+0.85$ to $+0.98$ and across all blocks and listeners from $+0.82$ to $+0.995$. These results show that the model is applicable to four exemplar categories and accurately estimates the type of confusions that are made.

The attentional effort parameters estimated by the classification model can be used to determine whether the listeners were using an optimal strategy. With these stimuli and the categories, an optimal processor would place equal emphasis on both relevant dimensions and would allocate attentional effort equally. Estimates of the attentional effort parameters were generated and are shown in Figure 4.

Insert Figure 4 Here

These results show that none of the listeners operated consistently as optimal processors. All but one placed greater emphasis on the Quality dimension. This was a reversal of previous research which indicated that Quality was consistently under emphasized. The discrimination on the Quality dimension




Figure 4. Estimated attentional effort parameters by block and listener.

was enhanced in this experiment because of the previous results. However, the enhancement was apparently more than was necessary to have the listeners equally emphasize the two dimensions. The values chosen for Quality may have enhanced a bimodality along this dimension. Post test debriefing indicated that the listeners were perceiving the four Quality values in terms of two levels. However, the Tempo dimension was still perceived as changing on four levels, making a bimodal discrimination more difficult. In order to fully explain these results, a discrimination-classification experiment should be conducted to determine the psychophysical function for both dimensions and whether there is any occurrence of categorical perception (Macmillan, Kaplan & Creelman, 1977).

Acknowledgements

This research was supported by a contract from the Engineering Psychology Programs, Office of Naval Research to the Catholic University of America. James H. Howard, Jr. was the principal investigator. The authors thank Darlene V. Howard for her comments on an earlier version of this manuscript and acknowledge the contribution of Donald C. Burgy, Peter Doyle and James A. Galgano to this work.

References

- Bourne, L. E. Jr. & Restle, F. Mathematical theory of concept identification. Psychological Review. 1959, 66, 278-296.
- Howard, J. H. Jr., Ballas, J. A. & Burgy, D. C. Feature extraction and decision processes in the classification of amplitude modulated noise patterns (Technical Report ONR-78-4),

- Washington, D. C.: The Catholic University of America
Human Performance Laboratory, July, 1978.
- Macmillan, N. A., Kaplan, H. L. & Creelman, C. D. The
psychophysics of categorical perception. Psychological
Review. 1977, 84, 452-471.
- Neumann, P. G. Visual prototype formation with discontinuous
representation of dimensions of variability. Memory
& Cognition. 1977, 5, 187-197.
- Posner, M. I. Abstraction and the process of recognition. In
G. H. Bower & J. T. Spence (Eds.) The psychology of
learning and motivation. New York: Academic press, 1969.
- Robbins, D., Barresi, J., Compton, P., Furst, A., Russo, M. &
Smith, M. A. The genesis and use of exemplar vs.
prototype knowledge in abstract category learning.
Memory & Cognition. 1978, 6, 473-480.
- Siegel, S. Nonparametric statistics for the behavioral sciences.
New York: McGraw-Hill, 1956.

DIRECTOR, ENGINEERING PSYCHOLOGY
PROGRAMS, CODE 455
OFFICE OF NAVAL RESEARCH
800 NORTH QUINCY STREET
ARLINGTON, VA 22217

DEFENSE DOCUMENTATION CENTER
CAMERON STATION
ALEXANDRIA, VA 22314

CDR P. A. CHATELIER
QUSORE (E&LS)
PENTAGON, ROOM 3D129
WASHINGTON, D.C. 20301

DIRECTOR, VEHICLE TECHNOLOGY
PROGRAMS, CODE 211
OFFICE OF NAVAL RESEARCH
800 NORTH QUINCY STREET
ARLINGTON, VA 22217

DIRECTOR, WEAPONS TECHNOLOGY
PROGRAMS, CODE 212
OFFICE OF NAVAL RESEARCH
800 NORTH QUINCY STREET
ARLINGTON, VA 22217

DIRECTOR, ELECTROMAGNETICS
TECHNOLOGY PROGRAMS, CODE 221
OFFICE OF NAVAL RESEARCH
800 NORTH QUINCY STREET
ARLINGTON, VA 22217

DIRECTOR, INFORMATION SYSTEMS
PROGRAM, CODE 437
OFFICE OF NAVAL RESEARCH
800 NORTH QUINCY STREET
ARLINGTON, VA 22217

DIRECTOR, ACOUSTIC TECHNOLOGY
PROGRAM, CODE 222
OFFICE OF NAVAL RESEARCH
800 NORTH QUINCY STREET
ARLINGTON, VA 22217

DIRECTOR, PHYSIOLOGY PROGRAM
CODE 441
OFFICE OF NAVAL RESEARCH
800 NORTH QUINCY STREET
ARLINGTON, VA 22217

SPECIAL ASSISTANT FOR MARINE
CORPS MATTERS, CODE 100M
OFFICE OF NAVAL RESEARCH
800 NORTH QUINCY STREET
ARLINGTON, VA 22217

COMMANDING OFFICER
ONR BRANCH OFFICE
ATTN: DR. J. LESTER
BUILDING 114, SECTION D
666 SUMNER STREET
BOSTON, MA 02210

COMMANDING OFFICER
ONR BRANCH OFFICE
ATTN: DR. CHARLES DAVIS
536 SOUTH CLARK STREET
CHICAGO, IL 60605

COMMANDING OFFICER
ONR BRANCH OFFICE
ATTN: DR. E. GLOYE
1030 EAST GREEN STREET
PASADENA, CA 91106

COMMANDING OFFICER
ONR BRANCH OFFICE
ATTN: MR. R. LAWSON
1030 EAST GREEN STREET
PASADENA, CA 91106

OFFICE OF NAVAL RESEARCH
SCIENTIFIC LIAISON GROUP
AMERICAN EMBASSY, ROOM A-407
APO SAN FRANCISCO 96503

DIRECTOR
NAVAL RESEARCH LABORATORY
TECHNICAL INFORMATION DIVISION
CODE 2627
WASHINGTON, D.C. 20375

DR. ROBERT G. SMITH
OFFICE OF THE CHIEF OF NAVAL
OPERATIONS, OP987H
PERSONAL LOGISTICS PLANS
WASHINGTON, D. C. 20350

MR. ARNOLD RUBINSTEIN
NAVAL MATERIAL COMMAND
NAVMAT 0344
WASHINGTON, D.C. 20360

COMMANDER
NAVAL AIR SYSTEMS COMMAND
HUMAN FACTORS PROGRAMS, NAVAIR 340
WASHINGTON, D.C. 20361

COMMANDER
NAVAL AIR SYSTEMS COMMAND
CREW STATION DESIGN, NAVAIR 5313
WASHINGTON, D.C. 20361

COMMANDER
NAVAL ELECTRONICS SYSTEMS COMMAND
HUMAN FACTORS ENGINEERING BRANCH
CODE 4701
WASHINGTON, D.C. 20360

CDR R. GIBSON
BUREAU OF MEDICINE & SURGERY
AEROSPACE PSYCHOLOGY BRANCH
CODE 513
WASHINGTON, D.C. 20372

LCDR ROBERT BIERSENER
NAVAL MEDICAL R&D COMMAND
CODE 44
NAVAL MEDICAL CENTER
BETHESDA, MD 20014

LCDR T. BERGHAGE
NAVAL MEDICAL RESEARCH INSTITUTE
BEHAVIORAL SCIENCES DEPARTMENT
BETHESDA, MD 20014

A. E. BISSON
CODE 1939
NSRDC
CARDEROCK, MD 20084

DR. JAMES CURTIN
NAVAL SEA SYSTEMS COMMAND
PERSONNEL & TRAINING ANALYSES
NAVSEA 074C1
WASHINGTON, D.C. 20362

DR. ARTHUR BACHRACH
BEHAVIORAL SCIENCES DEPARTMENT
NAVAL MEDICAL RESEARCH INSTITUTE
BETHESDA, MD 20014

DR. GEORGE MOELLER
HUMAN FACTORS ENGINEERING BRANCH
SUBMARINE MEDICAL RESEARCH LAB.
NAVAL SUBMARINE BASE
GROTON, CT 06340

MR. PHILLIP ANDREWS
NAVAL SEA SYSTEMS COMMAND
NAVSEA 0341
WASHINGTON, D. C. 20362

NAVY PERSONNEL RESEARCH AND
DEVELOPMENT CENTER
MANAGEMENT SUPPORT DEPARTMENT
CODE 210
SAN DIEGO, CA 92152

CHIEF
AEROSPACE PSYCHOLOGY DIVISION
NAVAL AEROSPACE MEDICAL INSTITUTE
PENSACOLA, FL 32512

DR. FRED MUCKLER
NAVY PERSONNEL RESEARCH AND
DEVELOPMENT CENTER
MANNED SYSTEMS DESIGN, CODE 311
SAN DIEGO, CA 92152

NAVY PERSONNEL RESEARCH AND
DEVELOPMENT CENTER
CODE 305
SAN DIEGO, CA 92152

DR. LLOYD HITCHCOCK
HUMAN FACTORS ENGINEERING DIVISION
NAVAL AIR DEVELOPMENT CENTER
WARMINGSTER, PA 18974

ROBERT W. BRYANT
ASW-132
NAVSEA
NATIONAL CENTER #1
WASHINGTON, D.C. 20360

CDR P. M. CURRAN
HUMAN FACTORS ENGINEERING DIVISION
CREW SYSTEMS DEPARTMENT
NAVAL AIR DEVELOPMENT CENTER
WARMINGSTER, PA 18974

LCDR WILLIAM MORONEY
HUMAN FACTORS ENGINEERING BRANCH
CODE 1226
PACIFIC MISSILE TEST CENTER
POINT MUGU, CA 93042

DR. J. D. HARRIS
NSMRL
SUBMARINE BASE
GROTON, CT 06340

HUMAN FACTORS SECTION
SYSTEMS ENGINEERING
TEST DIRECTORATE
U.S. NAVAL AIR TEST CENTER
PATUXENT RIVER, MD 20670

HUMAN FACTORS ENGINEERING BRANCH
NAVAL SHIP RESEARCH AND
DEVELOPMENT CENTER
ANNAPOLIS DIVISION
ANNAPOLIS, MD 21402

DR. ROBERT FRENCH
NAVAL OCEAN SYSTEMS CENTER
SAN DIEGO, CA 92152

DR. JERRY C. LAMB
DISPLAY BRANCH
CODE TD112
NAVAL UNDERWATER SYSTEMS CENTER
NEW LONDON, CT 06320

NAVAL TRAINING EQUIPMENT CENTER
ATTN: TECHNICAL LIBRARY
ORLANDO, FL 32813

HUMAN FACTORS DEPARTMENT
CODE N215
NAVAL TRAINING EQUIPMENT CENTER
ORLANDO, FL 32813

DR. ALFRED F. SMODE
TRAINING ANALYSIS AND EVALUATION
NAVAL TRAINING EQUIPMENT CENTER
CODE N-00T
ORLANDO, FL 32813

DR. GARY POOCK
OPERATIONS RESEARCH DEPARTMENT
NAVAL POSTGRADUATE SCHOOL
MONTEREY, CA 93940

MR. WARREN LEWIS
HUMAN ENGINEERING BRANCH
CODE 8231
NAVAL OCEAN SYSTEMS CENTER
SAN DIEGO, CA 92152

DR. A. L. SLAFKOSKY
SCIENTIFIC ADVISOR
COMMANDANT OF THE MARINE CORPS
CODE RD-1
WASHINGTON, D.C. 20380

MR. J. BARBER
HQS, DEPARTMENT OF THE ARMY
DAPE-PBR
WASHINGTON, D.C. 20546

DR. JOSEPH ZEIDNER
TECHNICAL DIRECTOR
U.S. ARMY RESEARCH INST.
5001 EISENHOWER AVENUE
ALEXANDRIA, VA 22333

DIRECTOR, ORGANIZATIONS AND
SYSTEMS RESEARCH LABORATORY
U. S. ARMY RESEARCH INSTITUTE
5001 EISENHOWER AVENUE
ALEXANDRIA, VA 22333

TECHNICAL DIRECTOR
U.S. ARMY HUMAN ENGINEERING LAB
ABERDEEN PROVING GROUND
ABERDEEN, MD 21005

U.S. ARMY AEROMEDICAL RESEARCH LAB
ATTN: CPT GERALD P. KRUEGER
FT. RUCKER, AL 36362

U.S. AIR FORCE OFFICE OF
SCIENTIFIC RESEARCH
LIFE SCIENCES DIRECTORATE, NL
BOLLING AIR FORCE BASE
WASHINGTON, D.C. 20332

DR. DONALD A. TOPMILLER
CHIEF, SYSTEMS ENGINEERING BRANCH
HUMAN ENGINEERING DIVISION
USAF AMRL/HES
WRIGHT-PATTERSON AFB, OH 45433

AIR UNIVERSITY LIBRARY
MAXWELL AIR FORCE BASE, AL 36112

DR. ROBERT WILLIGES
HUMAN FACTORS LABORATORY
VIRGINIA POLYTECHNIC INSTITUTE
130 WHITTEMORE HALL
BLACKSBURG, VA 24061

DR. HARRY SNYDER
DEPT OF INDUSTRIAL ENGINEERING
VIRGINIA POLYTECHNIC INSTITUTE
AND STATE UNIVERSITY
BLACKSBURG, VA 24061

DR. ARTHUR I. SIEGEL
APPLIED PSYCHOLOGICAL SERVICES
404 EAST LANCASTER STREET
WAYNE, PA 19087

DR. ROBERT R. MACKIE
HUMAN FACTORS RESEARCH, INC.
5775 DAUSON AVE
GOLETA, CA 93017

DR. GERSHON WELTMAN
PERCEPTRONICS, INC.
6271 VARIEL AVENUE
WOODLAND HILLS, CA 91364

DR. J. A. SWETS
BOLT, BERANEK & NEWMAN, INC
50 HOULTON STREET
CAMBRIDGE, MA 02139

DR. ALPHONSE CHAPANIS
DEPT OF PSYCHOLOGY
THE JOHNS HOPKINS UNIV
BALTIMORE, MD 21218

DR. MEREDITH CRAWFORD
GEORGE WASHINGTON UNIV.
SUITE 805
2101 L ST., N. W.
WASHINGTON, D.C. 20037

DR. WILLIAM HOWELL
DEPARTMENT OF PSYCHOLOGY
RICE UNIVERSITY
HOUSTON, TX 77001

JOURNAL SUPPLEMENT ABSTRACT SERVICE
AMERICAN PSYCHOLOGICAL ASSOCIATION
1200 17TH STREET, N. W.
WASHINGTON, D.C. 20036

DR. ROBERT G. PACHELLA
UNIVERSITY OF MICHIGAN
DEPT. OF PSYCHOLOGY
HUMAN PERFORMANCE CENTER
330 PACKARD ROAD
ANN ARBOR, MI 48104

DR. T. B. SHERIDAN
DEPT OF MECHANICAL ENGINEERING
MASSACHUSETTS INSTITUTE OF TECHNOLOGY
CAMBRIDGE, MA 02139

DR. JESSE ORLANSKY
INSTITUTE FOR DEFENSE ANALYSES
400 ARMY-NAVY DRIVE
ARLINGTON, VA 22202

DR. STEPHEN J. ANDRIOLE
ADVANCED RESEARCH PROJECTS AGENCY
1400 WILSON BLVD
ARLINGTON, VA 22202

DR. STANLEY DEUTSCH
OFFICE OF LIFE SCIENCES
HQS, NASA
600 INDEPENDENCE AVE.
WASHINGTON, D.C. 20546

DR. J. MILLER
NASA
11400 ROCKVILLE PIKE
ROCKVILLE, MD 20852

DR. WILLIAM A. MC CLELLAND
HUMAN RESOURCES RESEARCH OFFICE
300 N. WASHINGTON STREET
ALEXANDRIA, VA 22314

DR. WILLIAM R. UTTAL
DEPT OF PSYCHOLOGY, GARILEY HALL
UNIV OF HAWAII AT MANOA
HONOLULU, HI 96822

DR. W. S. VAUGHAN
OCEANAUTICS, INC
422 6TH ST
ANNAPOLIS MD 21403

DR. DAVID GETTY
BOLT, BERANEK & NEWMAN
50 Moulton Street
CAMBRIDGE, MA 02138

DIRECTOR, HUMAN FACTORS MIND
DEFENSE & CIVIL INSTITUTE OF
ENVIRONMENTAL MEDICINE
P.O. BOX 2000
DOWNSVILLE, TORONTO, ONTARIO
CANADA

DR. A.D. BADDELEY
DIRECTOR, APPLIED PSYCH. UNIT
MEDICAL RESEARCH COUNCIL
15 CHALCER ROAD
CAMBRIDGE, CB2 2EF
ENGLAND